


FAITH FORM WORK SYSTEM

SCAFFOLDING & FORMWORKS

AN ISO 9001-2015 COMPANY

Product Brochure



Faith Services Pvt. Ltd.

 www.faithservices.co.in

 fspl@faithservices.co.in

 +91 9227773372/3/7

ABOUT US



VISION

Our vision is to enhance prosperity of Society & Inspire next generation towards Growth



MISSION

Our mission is to Provide Solution from Steel to Structure and build long term relationships with our customers and provide exceptional customer service by Pursuing business through innovation and advance technology.



CORE VALUES

We believe in treating our customers with Respect and Faith. We grow through creativity, Innovation and innovation. We integrate Honesty, Integrity and Business Ethics into all aspects of our business functioning.

Faith Services Pvt. Ltd. Has Become a Name, Known In The Market For Scaffolding, Adjustable Telescopic Props, Ledger Scaffolding, Scaffolding Accessories & Related Access Products and Services. Our Company Has Successfully Served With India's top Contracting Firms With Commendable Access & Products, Whenever and Wherever They Required It.

ISO 9001:2015 Quality Management System TUV SUD: To ensure customer satisfaction throughout of contract with quality products & services on timely delivery along with performance & process capability to meet all your needs of project. "Meets all client expectations from our well Qualified, Experienced & Trained Team Supports".


Construction Segments & Usage

Residential ★★★★★

Commercial ★★★★★

Infrastructure ★★★★★

Industrial ★★★★★



We are Trusted by Our Clients



HITACHI
Inspire the Next

adani



SIEMENS
energy



WELSPUN



CEPT
UNIVERSITY



Cinépolis



NCC



ARVIND



FORTUNE
Member ITC's hotel group

Radisson



Zydus
dedicated to life




APM TERMINALS

& many more.....

FAITH FORMWORK SYSTEM

The lightweight panel formwork system with unique and easy panel to panel connections



- FAITH FORMWORK SYSTEM is a modular panel formwork system suited for various wall and column applications.
- It is designed in such a way that all panels are multi-purpose panels that can be used in any direction.
- With 4 sizes in height and multi sizes in width all customize size possible configurations to meet different pour height requirements with less unutilized formwork area. Therefore it is an efficient and economic system for construction site application.
- FAITH FORMWORK SYSTEM provides the highest flexibility in the construction of walls and different sizes of columns with optimal material utilization and easy handling by only two people.
- The system meets all requirements with infills up to 230 mm, 90 degree internal and external corners, T-junctions and stop-ends.
- The all panel models designed with load capacity analysis
- The formwork system panel is made with mild steel 2062 grade frames and 12 mm ply with phenolic resin with make the formwork system very robust and long life is also offer smooth finish.
- The low individual weights of the elements allow easy assembly and dismantling by hand with minimal training effort. This makes the system very efficient even during non-availability of crane.

Fast working operations

Ideal sizes of multi-panels, very few components and multi-applications

Easy and simple connections

Unique alignment coupler or wedge C clip for all panel connections and in-built brace connector for connecting the push-pull props

Cost-effectiveness

Optimum panel sizes to ensure effective utilization and better productivity

Ergonomic in all aspects

Lightweight panels with integrated handles, crane-free working at site



BENEFITS

Steel Formwork

- Smooth surface finish to the structure
- They are easy to fix.
- It can be used in greater numbers.

VS

Other Formwork

- Their load carrying capacity is low.
- Plywood sheets cannot sustain the weight of concrete
- Plastic is weak against heat.


Fast and easy working operations

Each panel is simultaneously a multi-purpose panel



FAITH FORMWORK SYSTEM panels are fitted with anchor nut with multi-holes that increases the system's range of applications. Through this, the panels can also be used for beams and foundations. This optimizes work preparation and storage of materials.



Integrated ergonomic handle that allow easy handling



The stiffeners are closed and sloping outwards that increases the robustness of the panel. Also, it helps to prevent accumulation of slurry on the panel during concreting.




FAITH FORMWORK SYSTEM Flexibility

The panel can be used in Horizontal as well as vertical direction.

Easy and simple connections


Unique alignment clamp or wedge C clip for panel connections

- An innovative and unique Alignment Clamp which not only connects the panels but also aligns the system without any additional walers using the same using some C clip slots in the panel frame.
- The Alignment Clamp is used on standard panel joints, corners, T-junctions and wall offsets.



- The C clip with captive wedge and easy round head fits into the slot in panel.
- The lightweight and easy to handle
- Wedge C Clip is used on standard panel joints, corners, T-junctions and wall offsets.






Tie system at the same location as the clamp makes it a perfect aligned and robust joint.



Geometrical adjustments with very few components

Forming of corners, T-junctions and wall offsets

- All required adjustments for 90° corners, T-junctions as well as wall offsets can be realized with very few system components.
- The robust internal corner with a width of 175 mm makes an important contribution for reducing the number of system components to form 90° corners, T-junctions and Wall offsets.





Wall offsets

Wall thickness of various dimensions can be formed using internal corner.

T-junctions





Wall thickness of various dimensions can be formed using internal corner and if needed compensation clamp for infills.



90° corner

Wall thickness of various dimensions can be formed using multi panel externally and internal corner on the inside.


Columns with dimensions ranging from 150 x 150 mm up to 900 x 900 mm can be formed using 900 mm wide panel, without requiring any special panels.






ECO PANEL MODELS Load Capacity : 40 kN/m

Detail A




2.0 mm THK

Detail B



2.0 mm THK

Detail C



Flat 60mm x 6mm THK

MEDIUM PANEL MODELS Load Capacity : 55 kN/m

Detail A




3.0 mm THK

Detail B



2.0 mm THK

Detail C




Flat 60mm x 6mm THK




HEAVY PANEL MODELS Load Capacity : 75 kN/m

Detail A




3.0 mm THK

Detail B



2.0 mm THK

Detail C



Flat 68mm x 6mm THK



**FAITH FORMWORK
SYSTEM**
(With 12mm Plywood)




FAITH FORMWORK STANDERD PANNEL (2440 HEIGHT)

ECO PANNEL MODELS		MEDIUM PANNEL MODELS		HEAVY PANNEL MODELS	
SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT
230 X 2440H	17 KG	230 X 2440H	20 KG	230 X 2440H	23 KG
300 X 2440H	22 KG	300 X 2440H	26 KG	300 X 2440H	30 KG
350 X 2440H	25 KG	350 X 2440H	30 KG	350 X 2440H	35 KG
375 X 2440H	27 KG	375 X 2440H	32 KG	375 X 2440H	38 KG
450 X 2440H	32 KG	450 X 2440H	38 KG	450 X 2440H	45 KG
600 X 2440H	43 KG	600 X 2440H	50 KG	600 X 2440H	60 KG
750 X 2440H	54 KG	750 X 2440H	63 KG	750 X 2440H	75 KG
		900 X 2440H	76 KG	900 X 2440H	90 KG

FAITH FORMWORK STANDERD PANNEL (1220 HEIGHT)

ECO PANNEL MODELS		MEDIUM PANNEL MODELS		HEAVY PANNEL MODELS	
SIZE	WEIGHT	SIZE	WEIGHT	SIZE	WEIGHT
230 X 1220H	9 KG	230 X 1220H	10 KG	230 X 1220H	11 KG
300 X 1220H	12 KG	300 X 1220H	13 KG	300 X 1220H	14 KG
350 X 1220H	14 KG	350 X 1220H	15 KG	350 X 1220H	16 KG
375 X 1220H	15 KG	375 X 1220H	16 KG	375 X 1220H	17 KG
450 X 1220H	23 KG	450 X 1220H	19 KG	450 X 1220H	21 KG
600 X 1220H	27 KG	600 X 1220H	26 KG	600 X 1220H	28 KG
750 X 1220H	29 KG	750 X 1220H	32 KG	750 X 1220H	34 KG
		900 X 1220H	38 KG	750 X 1220H	41 KG

Component list




Corners

Use for important contribution for reducing the number of component for 90° corner T-junction and wall offsets.




Anchor Nut

Anchor Nut Is been used with Tie Rod Assembly is used to hold panels on opposite side of the same wall to be casted. We offer the best quality tie rod of 16 mm.



Tie Rod

Tie Rod Assembly is used to hold panels on opposite side of the same wall to be casted. Size of tie rod is 16mm dia-600mm/700mm.



Corner Clamps

Corner Clamps are one piece with two panel connect in 90°. Size of Corner Clamps is 16mm dia-200mm.

C Clip

C Clip with WCB material use for two panel inline clamping





Form Work Site Installations



Other Products of FAITH SERVICES

Manufacturing


Rhombus Safety Walkway and Steps



Planks



Dogear Plank




DOOSAN Plank




L&T Hook Plank



CV Hook Plank



Simple Plank



U Type Hook Plank

H Frame Scaffold



Cuplock Scaffolding



Adjustable Prop



Shuttering Plates



Base Jack/ U Head Jack



Other Products of FAITH SERVICES

Acroplate Wall Form



GI Shuttering Runner



Rental and Erection Services

- Scaffolding Services with Material
- TurnKey Projects
- Scaffolding on rent
- Formwork Material on rent



Used Buy and Sell



- Scaffolding Material



- Shuttering Material

THANK YOU



Faith Services Pvt. Ltd.

Faith Services Pvt. Ltd. has become a name, known in the market for Scaffolding, Adjustable Telescopic Props, Ledger Scaffolding, Scaffolding Accessories & Related Access Products and Services. Our company has successfully served with India's top contracting firms with commendable access & products, whenever and wherever they required it.

H.O & UNIT 1

L/1216/1, Road "G", Lane No. 7,
Phase-IV, Naroda GIDC, Naroda,
Ahmedabad - 382330, Gujarat.

UNIT II

E-497, Hirapur Industrial Estate,
Nr. Bol Village, Sanand - II GIDC,
Ahmedabad - 382110, Gujarat.

UNIT III

New Survey No.151, Old Survey No.
113/2, Moje Sada Ni Muvadi,
Taluka - Prantij,
Sabarkantha - 383205 Gujarat.

